AMENDMENTS

Please enter the following amendments:

IN THE CLAIMS:

- 38. (Original) A hyperimmune serum-reactive *S. pneumoniae* antigen that is immunologically reactive with sera from a human having an *S. pneumoniae* infection or an uninfected healthy human, the antigen comprising an isolated *S. pneumoniae* polypeptide or peptide fragment thereof.
- 39. (Original) An *S. pneumoniae* antigen according to claim 38, wherein the antigen is an isolated *S. pneumoniae* polypeptide that is Sp1732 (SEQ ID NO. 214).
- 40. (Original) An *S. pneumoniae* antigen according to claim 38, wherein the antigen is an isolated *S. pneumoniae* polypeptide that is Sp 2216 (SEQ ID NO. 243).
- 41. (Original) An *S. pneumoniae* antigen according to claim 38, wherein the antigen is an isolated fragment comprising amino acids 1-285 of *S. pneumoniae* polypeptide Sp 2216 (SEQ ID NO. 243).
- 42. (Original) An *S. pneumoniae* antigen according to claim 39, wherein the antigen is a fragment of the isolated *S. pneumoniae* polypeptide comprising amino acids 9-18, 24-46, 51-58, 67-77, 85-108, 114-126, 129-137, 139-146, 152-165, 173-182, 188-195, 197-204, 217-250, 260-274, 296-313, 343-366, 368-384, 427-434, 437-446, 449-455, 478-484, 492-506, 522-527, 562-591, 599-606, 609-618, 625-631, 645-652 or 577-654 of SEQ ID NO. 214.
- 43. (Original) An *S. pneumoniae* antigen according to claim 40, wherein the antigen is a fragment of the isolated *S. pneumoniae* polypeptide comprising amino acids 4-25, 52-67, 117-124, 131-146, 173-180, 182-191, 195-206, 215-221, 229-236, 245-252, 258-279, 286-291, 293-302, 314-320, 327-336, 341-353, 355-361, or 383-389 of SEQ ID NO. 243.

- 44. (Original) A pharmaceutical composition comprising at least one antigen according to any of claims 38, 39, 40, 41, 42, or 43 and optionally a pharmaceutically-acceptable carrier or excipient.
- 45. (Original) A pharmaceutical composition according to claim 44, further comprising an immunostimulatory substance.
- 46. (Original) A pharmaceutical composition according to claim 45, wherein the immunostimulatory substance is a polycationic polymer, an immunostimulatory deoxynucleotide (ODN), a peptide containing at least two Lys-Leu-Lys motifs, a neuroactive compound, alum, or a Freund's complete or incomplete adjuvant.
- 47. (Original) A pharmaceutical composition according to claim 46, wherein the polycationic polymer is a polycationic peptide.
 - 48. (Original) A pharmaceutical composition according to claim 44 that is a vaccine.
- 49. (Withdrawn) An antibody or immunologically active fragment thereof that is immunologically specific for an antigen according to claims 38, 39, 40, 41, 42, or 43.
 - 50. (Withdrawn) An antibody according to claim 49 that is a monoclonal antibody
- 51. (Withdrawn) An immunologically-active fragment of an antibody according to claim 49 that is an F(ab), F(ab)', $F(ab)_2$ or F_v fragment.
- 52. (Withdrawn) An antibody according to claim 49 that is a human antibody or a humanized antibody.
 - 53. (Withdrawn) A method for preparing an antibody that is immunologically

specific for an antigen according to claims 38, 39, 40, 41, 42, or 43, comprising the steps of inoculating an animal with a immunostimulatory amount of said antigen, isolating spleen cells from said animal after a time sufficient to raise an antibody in said animal, fusing the spleen cells with an immortalized cell line to produce antibody-producing fusion cells, and selecting fusion cells that produce an antibody that is immunologically specific for said antigen.

- 54. (Withdrawn) A pharmaceutical composition comprising one or a plurality of antibodies according to claim 49 and optionally a pharmaceutically-acceptable carrier or excipient.
- 55. (Withdrawn) A method for diagnosing infection with *Streptococcus* in an animal comprising the step of identifying in a tissue or biological fluid of the animal a *Streptococcus* antigen comprising a polypeptide or fragment, wherein the antigen is identified by contacting the antigen with an antibody according to claim 49.
- 56. (Withdrawn) A method according to claim 55 wherein the *Streptococcus* infection is caused by *S. pneumoniae*.
- 57. (Withdrawn) A method for treating infection with *Streptococcus* in an animal comprising the step of administering to the animal a therapeutically-effective amount of a pharmaceutical composition according to claim 54.
- 58. (Withdrawn) A method according to claim 57 wherein the *Streptococcus* infection is caused by *S. pneumoniae*.
- 59. (Withdrawn) A method for immunizing an animal against *Streptococcus* infection comprising the step of administering to the animal a vaccine according to claim 48.
- 60. (Withdrawn) A method according to claim 59 wherein the *Streptococcus* infection is caused by *S. pneumoniae*.

- 61. (Withdrawn) A method for stimulating an immune response in an animal against *Streptococcus*, the method comprising the step of administering to the animal an immunogenic amount of a vaccine according to claim 48.
- 62. (Withdrawn) A method according to claim 61 wherein the immune response in an animal is against *S. pneumoniae*.
- 63. (Withdrawn) The method of claim 62, further comprising the step of administering an immunostimulatory substance to the animal.
- 64. (Withdrawn) The method of claim 63, wherein the immunostimulatory substance is a polycationic polymer, an immunostimulatory deoxynucleotide (ODN), a peptide comtaining at least two Lys-Leu-Lys motifs, a neuroactive compound, alum, or a Freund's complete or incomplete adjuvant.
- 65. (Withdrawn) The method of claim 64, wherein the polycationic polymer is a polycationic peptide.
- 66. (Withdrawn) A method according to claims 55, 57, 59, or 61 wherein the animal is a human.
- 67. (Withdrawn) A method for diagnosing infection with *Streptococcus* in an animal comprising the step of identifying in a tissue or biological fluid of the animal an antibody that is immunologically specific for a *Streptococcus* antigen, wherein the antibody is identified by contacting the tissue or biological fluid with an antigen according to claim 38, 39, 40, 41, 42, or 43.
- 68. (Withdrawn) A method according to claim 67 wherein the *Streptococcus* infection is caused by *S. pneumoniae*.